

GAMKA

BUILDING ANSWERS

RENTAL RATES

IF WE HAVE IT, YOU NEED IT!

GO TO

WWW.GAMKA.COM

Gamka Sales Company, Inc.

983 New Durham Road, Edison, NJ 08817

Come visit our showroom!

Toll Free:

888-248-1400

Rental Equipment Listing by Category

Page	Description
2	AIR COMPRESSORS, AIR TOOLS AND ACCESSORIES
2	CLEANING AND MAINTENANCE; FLOOR CLEANING EQUIPMENT, PRESSURE WASHERS, VACUUM CLEANERS
3	COMPACTION; PLATES, RAMMERS, ROLLERS
4	CONCRETE, GROUT AND MASONRY EQUIPMENT;
4	Finishing Equipment; WALK BEHIND AND RIDE ON TROWELS, ROLLER AND VIBRATORY SCREEDS, SHAKE SPREADERS
5	Mixing and Placing Equipment; BUGGIES AND DUMPERS, GROUT PUMPS AND ACCESSORIES, MIXERS, SPRAYERS, VIBRATORS
7	Surface Preparation Equipment; CRACK CHASERS, CEILING AND ANGLE GRINDERS, SCARIFIERS
7	Cutting and Drilling Equipment; CUT OFF, FLOOR, ROAD AND CHAIN SAWS, ULTRA-EARLY AND GREEN CONCRETE SAWS, MASONRY AND TILE SAWS, CORE DRILLS, DIAMOND BLADES AND CORE BITS
9	EARTHMOVING; DUMPERS, EXCAVATORS, WHEEL LOADERS AND ATTACHMENTS, TEMPORARY ROADWAY MATTING, TRAILERS
10	GENERAL CONSTRUCTION EQUIPMENT AND TOOLS; BAR BENDERS AND SHEARS, ELECTRIC TOOLS AND EXTENSION CORDS, EPOXY GUNS, LASER LEVELS AND ACCESSORIES, PALLET JACKS, SCISSOR LIFTS, WELDERS
11	GENERATORS, LIGHT TOWERS AND ACCESSORIES
11	HEATING, VENTILATING AND DEHUMIDIFYING; AIR HEATERS (DIRECT AND INDIRECT FIRED), GROUND HEATERS, BLOWERS, FANS, DEHUMIDIFIERS, ULE CATALYTIC CONVERTERS
14	PUMPS; CENTRIFUGAL, DIAPHRAGM, SUBMERSIBLE AND TRASH PUMPS, HOSE

FOR EQUIPMENT SPECIFICATIONS, RENTAL TERMS AND CONDITIONS, INSURANCE AND PHYSICAL DAMAGE WAIVER INFORMATION, GO TO WWW.GAMKA.COM OR CALL 888-248-1400

WE DELIVER!

Rates Effective March 1, 2011
Prices subject to change without notice.

Rental Charges are based on an 8 hour day, 40 hour week, 160 hour month. Double shift rates are 1.5X the single shift charge, triple shift rates are 2X the single shift charge. Items marked with an "F" are subject to extra pick up and delivery charges. Routine maintenance (such as changing oil and filters) is the Renter's responsibility. Call Gamka for items not listed, our rental inventory does fluctuate!



Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

AIR COMPRESSORS AND AIR TOOLS

AIR COMPRESSORS 185 CFM DIESEL



100

300

900

F

AIR TOOLS AND BREAKERS

- HAMMER, 60-90 LBS.
- HAMMER, 30 LBS.
- CHIPPER
- SAW, FLOOR, AIR

40

100

250

30

75

225

30

75

225

85

240

675

AIR ACCESSORIES

- AIR HOSE, 3/4" X 50'
- AIR HOSE, 1" X 50'
- CHISELS/MOIL POINTS
- SPADES, ASPHALT
- DRILL ROD, 24"
- BLOW PIPE W/VALVE
- OILER, LINE
- SEPARATOR, WATER



10

20

35

15

35

75

9.25

PER

USE

12.50

PER

USE

7

15

30

10

20

40

10

20

40

10

20

40

CLEANING AND MAINTENANCE

FLOOR EQUIPMENT

SCRUBBER, WALK-BEHIND, 20" CLEANING PATH, BATTERY POWERED, FOR INTERIOR FLOORS, 10 GAL SOLUTION TANK

150

450

1200

F

SWEeper, RIDE-ON, 42" CLEANING PATH, FOR INTERIOR FLOORS, 4.4 CU.FT. DEBRIS HOPPER, BATTERY POWERED

300

900

2700

F

PRESSURE WASHERS

PRESSURE WASHER, 3000 PSI, COLD WATER

75

225

650

PRESSURE WASHER, 4000 PSI, COLD WATER

125

300

800

PRESSURE WASHER, 5,500 PSI, COLD WATER, DIESEL, TRLR. MTD.

300

900

2700

F

CHEMICAL INJECTION ACCESSORY

20

60

140

SANDBLAST ACCESSORY

20

40

80

HOSE, EXTRA, 4000 PSI, 50'

15

35

70

HOSE, EXTRA, 6000 PSI, 50'

30

70

140




VACUUM CLEANERS

VACUUM CLEANER, WET OR DRY, 1.8 HP, INCLUDES FILTER

40

110

300



DEHUMIDIFIERS AND FANS

FOR DEHUMIDIFIERS AND FANS GO TO THE HEATING, VENTILATING AND DEHUMIDIFYING SECTION.



Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

COMPACTION

PLATES

PLATE, STD., 19.5X23" PLATE, 196 LBS WT., 6,000 VPM, 3,375 LBS IMPACT



70

195

510

REVERSIBLE PLATE (2440), 15.5X27.5" PLATE, 267 LBS, 5,400 VPM, 5,400 LBS IMPACT

100

300

800

REVERSIBLE PLATE (2950), 19.5X27.5" PLATE, 335 LBS, 5,400 VPM, 6,250 LBS IMPACT

115

340

900

REVERSIBLE PLATE (3345), 17.3X35.5" PLATE, 648 LBS, 4,140 VPM, 7,868 LBS IMPACT

145

435

1250

REVERSIBLE PLATE (DPU 6055), 28X35.5" PLATE, 1,041 LBS, 4,150 VPM, 13,500 LBS IMPACT

200

600

1700

F



RAMMERS

RAMMER, 11X13" SHOE, 137 LBS, 3,025 LBS IMPACT UP TO 700 BPM

80

240

595

RAMMER, ELECTRIC 15 AMP, 10X13" SHOE, 123 LBS 2,590 LBS IMPACT, UP TO 800 BPM

100

300

750

ROLLERS

ROLLER (RD12A), ARTICULATED, SMOOTH DOUBLE DRUM, 35" WIDE, FOR ASPHALT, 2,500 LBS, IMPACT 2,400 LBS, FREQ 3,900VPM

200

600

1800

F

ROLLER (RD25), ARTICULATED, SMOOTH DOUBLE DRUM, 43" WIDE, FOR ASPHALT, 5,116 LBS, IMPACT 5,850 LBS, FREQ 3,200VPM

295

960

2600

F

ROLLER (RT82), ARTICULATED, DOUBLE DRUM SHEEPSFOOT FOR TRENCHES, 32" WIDE, 3,434 LBS, REMOTE CONTROL, IMPACT 7,700 LBS PER DRUM, 2,500 VPM

300

800

2200

F



PLEASE NOTE!

Rental Charges are based on an 8 hour day, 40 hour week, 160 hour month. Double shift rates are 1.5X the single shift charge, triple shift rates are 2X the single shift charge. Items marked with an "F" are subject to extra pick up and delivery charges. Routine maintenance (such as changing oil and filters) is the Renter's responsibility. Prices are subject to change without notice. Call Gamka for items not listed, our rental inventory does fluctuate!



Rental Rates

Day

Wk.

Mo.

Freight

Description	\$ Rate	\$ Rate	\$ Rate	F
CONCRETE AND MASONRY EQUIPMENT				
FINISHING EQUIPMENT				
FINISHING MACHINES, TROWELS (BLADES NOT INCLUDED)				
WALK BEHIND, 36" DIAMETER, 4 BLADE	95	195	390	
WALK BEHIND, 44" DIAMETER, 4 BLADE	110	220	500	
WALK BEHIND, 30" DIAMETER, EDGING TROWEL	80	240	550	
				
				
RIDE ON, 2 X 46" DIAMETER ROTORS, MECHANICAL DRIVE, ALLEN MODEL 900	300	900	2500	F
RIDE ON, 2 X 46" DIAMETER ROTORS, MECHANICAL DRIVE, ALLEN MODEL 1200	300	900	2500	F
RIDE ON, HIGH PERFORMANCE & SPEED, 2 X 46" DIAMETER ROTORS, ALLEN MODELS 400 & 1200-5B, WHITEMAN HTX44	400	1100	3000	F
RIDE ON, 2 X 60" DIAMETER ROTORS, HYDROSTATIC DRIVE, WHITEMAN MODEL STX	600	1800	4600	F
PANS FOR 8' RIDE ON TROWELS, 2 REQUIRED, PRICE PER PAN	60	195	BUY	
PANS FOR 10' RIDE ON TROWELS, 2 REQUIRED, PRICE PER PAN	100	310	BUY	
ROLLER SCREED FOR PERVIOUS CONCRETE, ETC.				
POWER UNIT, 11 HP GAS ENGINE ON CART WITH 50' HOSE	200	600	1800	F
ROLLER TUBE, 6' LENGTH	25	75	225	
ROLLER TUBE, 16' LENGTH	50	150	450	F
ROLLER TUBE, 22' LENGTH	75	225	675	F
(OTHER LENGTHS AND HAND TOOLS ARE AVAILABLE TO BUY)				
				
				
VIBRATORY SCREEDS				
ALLEN MAGIC SCREED, BLADES FROM 4' TO 16' IN 2' INCREMENTS	125	300	825	
TRUSS TYPE VIBRATORY SCREED, PRICED PER FOOT OF LENGTH. SIZES AVAILABLE ARE COMBINATIONS OF 2.5', 5' & 10'. MIN IS 15'	WK.MIN.	50/FT	100/FT	F
SPREADER FOR DRY SHAKES				
DRY SHAKE SPREADER FOR TOPPING, PRICED PER FOOT OF LENGTH. SIZES AVAILABLE ARE COMBINATIONS OF 2.5', 5' & 10'. MINIMUM IS 15' LONG	WK.MIN.	50/FT	100/FT	F



Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

MIXING AND PLACING

MATERIAL TRANSPORT:

BUGGY, "GEORGIA" PUSH TYPE, 8 CU. FT. CAPACITY



30

65

175

BUGGY, RIDE ON, 21 CU. FT. CAPACITY, HYDRAULIC DUMP

195

525

1485

F

DUMPER, RIDE ON, 2.3 CU. YD. HEAPED CAPACITY, SWIVEL BUCKET, FWD, ARTICULATED, WEIGHT 5,622 LBS., W= 70", 35 HP DIESEL, TOP SPEED 13 MPH, WACKER 3001

400

1000

3000

F



GROUT PUMPS AND ACCESSORIES:

GROUT PUMP & MIXER, UP TO 5 GPM, AIR POWERED, SINGLE PISTON, SKID MOUNTED, CHEMGROUT #CG550P

400

900

2100

F

GROUT PUMP & MIXER, UP TO 8 GPM, GAS/HYD POWER PACK OR ELEC/HYD POWER PACK, ROTOR AND STATOR, SKID MOUNTED, CHEMGROUT #CG550

450

1200

2400

F

GROUT PUMP & MIXER, UP TO 8 GPM, GAS/HYD, ROTOR AND STATOR, TRAILER MOUNTED, CHEMGROUT #CG575

450

1200

2400

F

GROUT PUMP & MIXER, UP TO 20 GPM, GAS/HYDRAULIC OR AIR POWERED, TWIN HOPPER, SKID MOUNTED, CHEMGROUT#CG500

600

1500

3000

F



SPRAY WAND, CHEMGROUT

25

75

225

REDUCER, 3" TO 2"



20

40

65

ELBOW

10

30

80

COUPLER, PIPE



5

15

40

PACKER PRESSURE 1.5"

10

25

60

GAUGE, PRESSURE

25

50

100

WATER METER

30

75

150



HOSE FOR GROUT PUMPS:

1.25" X 25' GROUT HOSE

45

80

200

1.5" X 25' GROUT HOSE

45

80

200



Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

MIXERS FOR CONCRETE AND MORTAR:

8 CU. FT. MORTAR, 2 BAG, GAS OR ELECTRIC



90

265

765

F

SPRAYERS, POWER:

POWER SPRAYER WITH GAS ENGINE AND CART FOR 55 GAL. DRUM WITH 25 FT HOSE AND ADJUSTABLE SPRAY NOZZLE. WILL HANDLE 40% SOLIDS.



100

300

850

VIBRATORS, INTERNAL AND EXTERNAL:



VIBRATOR, INTERNAL, PENCIL HEAD, 1 HP, 1" DIA., 14" SHAFT

50

150

300

VIBRATOR, INTERNAL, 2" DIA. HEAD, 2HP, 14' SHAFT

50

150

300

VIBRATOR, INTERNAL, 2.5" DIA. HEAD, 3 HP, 14' SHAFT

60

180

400



TO CHANGE TO 21' SHAFT, ADD

10

25

70

VIBRATOR, INTERNAL, HI-CYCLE, 240 V (HI-CYCLE GENSET REQ'D)

85

225

565

VIBRATOR, INTERNAL, BACK PACK POWER UNIT, 7' OR 10' SHAFT AND 1 1/4" HEAD

100

300

600

VIBRATOR, INTERNAL, HI-CYCLE, 42 V, INVERTER REQ'D (TWO SIZES: 1.8" DIA X 40" LONG OR 2.3" DIA X 16'. WITH POWER CABLE THE TOTAL LENGTH IS 49')

140

280

750

VIBRATOR, EXTERNAL, HI-CYCLE, 42 V, MODEL AR36

80

160

480



VIBRATOR CLAMP (SV4 OR SV5) & SAFETY CABLE (REQ'D) FOR EXTERNAL VIBRATORS

10

20

35

VIBRATOR INVERTER, 4 PLUG (230V, 1 PH, 25 AMPS REQ'D) FOR EXTERNAL VIBRATORS

350

700

2100





Rental Rates

Day

Wk.

Mo.

Freight

Description	\$ Rate	\$ Rate	\$ Rate	F
<u>SURFACE PREPARATION:</u>				
FLOOR GRINDER, EDCO 2-GC, DUAL DISC, GAS OR ELECTRIC, 22" WORKING WIDTH, EQUIPPED WITH VACUUM PORT, STONES AND CUTTERS ARE NOT INCLUDED IN RENTAL RATE	100	300	850	
FLOOR GRINDER, EDCO TG-10, 10" DISC, FOR DIAMOND HEAD GRINDING, EQUIPPED WITH VACUUM PORT. DIAMOND DISC IS A PURCHASE ITEM, NOT INCLUDED IN RATE	100	300	875	
GIRAFFE GRINDER FOR CEILINGS, GAS, (DISCS EXTRA)	100	300	825	
SCARIFIER, GAS or ELEC, EDCO CPM8, 8" WORKING WIDTH, EQUIPPED WITH VACUUM PORT, CUTTERS NOT INCLUDED	165	320	950	
<u>CUTTING EQUIPMENT (BLADES EXCLUDED) CUT-OFF, FLOOR & ROAD:</u>				
CUT-OFF/DEMOLITION, GAS OR ELECTRIC, 14" BLADE CAPACITY	65	180	485	
FLOOR, 14" BLADE CAPACITY, AIR POWERED	100	300	800	
FLOOR, 8 HP., 14" BLADE CAPACITY, PUSH TYPE	100	300	800	
FLOOR, 18 HP., GAS, 18" BLADE CAPACITY, SELF PROPELLED	120	325	800	
ROAD, 35 HP., GAS, 24" BLADE CAPACITY, SELF PROPELLED	200	600	1400	F
ROAD, 57 HP. DIESEL, 30" BLADE CAPACITY, SELF PROPELLED	250	800	2000	F
<u>AVERAGE CUTTING DEPTHS: ROAD SAW BLADES:</u>				
BLADE DIA. AVG. DEPTH		BLADE DIA. AVG. DEPTH		
12" 3.5"		20" 7.5"		
14" 4.5"		24" 9.5"		
16" 5.5"		26" 10.5"		
18" 6.5"		30" 12.5"		
<u>CUTTING EQUIPMENT (CHAINS EXCLUDED), FOR PLUNGE CUTTING:</u>				
CHAIN SAW, GAS, USES DIAMOND CHAIN, 14" BAR	80	200	600	
<u>CUTTING EQUIPMENT (BLADES EXCLUDED), <u>ULTRA-EARLY AND GREEN:</u></u>				
GREEN SAW, GAS, ALLEN RB 400, 7" BLADE CAPACITY, 2" CUT	135	380	850	
GREEN SAW, GAS, MQ SLAB SAVER, 10" BLADE CAP., 3.25" CUT	135	380	850	
SOFF CUT ULTRA-EARLY ENTRY X-310, 5.5" BLADE CAP.	135	385	990	
SOFF CUT ULTRA-EARLY ENTRY X-2000, 10" BLADE CAP.	275	800	2400	F
SOFF CUT ULTRA-EARLY ENTRY X-2500, 10" BLADE CAP.	350	925	2700	F





Rental Rates


Day

Wk.

Mo.

Freight

Description	\$ Rate	\$ Rate	\$ Rate	F
<u>CUTTING EQUIPMENT (BLADES EXCLUDED), ULTRA-EARLY AND GREEN:</u>				
GREEN SAW, GAS, ALLEN RB 400, 7" BLADE CAPACITY, 2" CUT	135	380	850	
GREEN SAW, GAS, MQ SLAB SAVER, 10" BLADE CAP., 3.25" CUT	135	380	850	
<u>CUTTING EQUIPMENT (BLADES EXCLUDED) MASONRY & TILE:</u>				
MASONRY, 14" ELEC. 110/220V, 2 HP., 5" CUT, (EXCLUDES STAND)	90	210	600	
MASONRY, 14" GAS, HONDA, 5" CUT, (EXCLUDES STAND)	110	300	850	
STAND FOR ABOVE	6	16	45	
20" GAS, HONDA, 8" CUT DEPTH, MOUNTED ON BASE	140	420	1200	F
TILE SAW, ELECTRIC, 10", 3.75" CUT DEPTH	50	150	450	
<u>DRILLING EQUIPMENT (CORE DRILLS EXCLUDED):</u>				
CORE DRILL, 18 AMP, VACUUM SYSTEM, 8" MAX. DIAMETER CORE	80	260	650	
<u>DIAMOND BLADES USAGE:</u>				
PRICED AT MINIMUM RATE PLUS MEASURED WEAR PER .001" DIAMETER		MINIMUM RATE	WEAR PRICE	
		Plus Wear	PER .001"	
	12"	40	4.75	
	14"	60	5.55	
	16"	80	7.45	
	18"	95	7.85	
	20"	100	8.20	
	24"	125	11.50	
	30"	150	14.40	
	36"	200	17.60	
	8" X .25	BUY	BUY	
	14" X .25	120	10.25	
<u>DIAMOND CORE BITS:</u>				
CHARGED BY THE DAY ONLY, OR PURCHASE NEW				
	DIAMETER			
	2"	65		
	3"	75		
	4"	95		
	5"	130		
	6"	150		



Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

EARTHMOVING



DUMPERS:

DUMPER, RIDE ON, 2.3 CU. YD. HEAPED CAPACITY, SWIVEL BUCKET, FWD, ARTICULATED, WEIGHT 5,622 LBS., W= 70", 35 HP DIESEL, TOP SPEED 13 MPH, WACKER 300I

400 1000 3000

F



EXCAVATORS:

MINI-EXCAVATOR, WACKER MODEL I404, ON TRACKS, WITH BLADE, MAX DEPTH 88", TRANSPORT (BOOM DOWN) L= 144", WIDTH IN/OUT= 39"/52", H= 90", WEIGHT 3,100 LBS, 24 HP DIESEL

150 400 1200 F

MINI-EXCAVATOR, WACKER MODEL 38Z3, ZERO SWING, ON TRACKS, WITH BLADE, MAX DEPTH 122", TRANSPORT (BOOM DOWN) L= 189", W= 69", H= 98", WEIGHT 8,003 LBS, 36.8 HP DIESEL

300 900 2700 F

MINI-EXCAVATOR, YANMAR MODEL ViO 50-2, ON TRACKS, WITH BLADE, MAX DEPTH 150", TRANSPORT (BOOM DOWN) L= 217", W= 77", H= 103", WEIGHT 11,290 LBS, 37 HP DIESEL

360 1080 3200 F

WHEEL LOADERS AND ATTACHMENTS:

WHEEL LOADER, BOBCAT MODEL 763, SKID STEER, FWD, WORKING LOAD WITH BUCKET 1,500 LBS, LIFT HEIGHT 115", TOP SPEED 7 MPH, L= 130", W= 68", H= 77", WEIGHT 5,370 LBS, 46 HP DIESEL POWER. [ASK ABOUT SEASONAL SNOW RATES!](#)

250 750 2250 F



WHEEL LOADER, WACKER MODEL WL25, ARTICULATED, FWD, WORKING LOAD WITH BUCKET (STRAIGHT) 2,150 LBS, LIFT HEIGHT 113", TOP SPEED 12 MPH, L=161", W= 48", H= 90", WEIGHT 5,555 LBS, 33 HP DIESEL POWER, ENCLOSED CAB. [ASK ABOUT SEASONAL SNOW RATES!](#)

250 750 2250 F

WHEEL LOADER, WACKER MODEL WL30, ARTICULATED, FWD, WORKING LOAD WITH BUCKET (STRAIGHT) 3,360 LBS, LIFT HEIGHT 126", TOP SPEED 12 MPH, L= 179", W= 53", H= 89", WEIGHT 6,980 LBS, 48 HP DIESEL POWER, ENCLOSED CAB. [ASK ABOUT SEASONAL SNOW RATES!](#)

300 900 2700 F



AUGER ATTACHMENT, HYDRAULIC, QUICK MOUNTING

80 240 630

BIT FOR AUGER, 12" or 18"

25 70 150

DURADECK TEMPORARY ROADWAY MAT, 4' X 8', 80 TON CAP.

8 24 40 F

FORK LIFT ATTACHMENT WITH 48" FORKS

35 85 175

JOBSITE MATERIAL RECYCLER LOADER ATTACHMENT, CRUSHES BRICK, BLOCK, STONE, ASPHALT, CONCRETE, ROCK, UP TO 10 TONS PER HOUR TO 2" & SMALLER, 1/2 YD HOPPER, REQUIRES 15 GPM@3000 PSI MINIMUM FLOW



200 600 1800 F

TRAILER, TILT TOP DECK 18' L X 81"W, 7,656 LB CAPACITY

75 200 500

Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

GENERAL CONSTRUCTION EQUIPMENT AND TOOLS

BAR BENDERS

ELECTRIC, UP TO 1" DIAMETER (#8 REBAR), WILL BEND FROM 0 TO 180 DEGREES, SINGLE PHASE, 115 VOLT POWER REQUIRED

95

205

855

BAR BENDER AND SHEAR


IRONMASTER, PORTABLE, TRAILER MOUNTED, GAS ENGINE POWER, CUTS AND BENDS # 11 REBAR

375

1125

3000

F



ELECTRIC TOOLS AND EXTENSION CORDS

ANGLE GRINDER, 9" (DISCS EXTRA)

18

45

100

DRILL, 1/2" CHUCK

15

40

85

HAMMER DRILL, 3/4" SHANK (BITS NOT INCLUDED)

30

85

260

HAMMER DRILL, 1" SHANK (BITS NOT INCLUDED)

35

90

265

BUSH HAMMER FINISH TOOL ACCESSORY FOR HAMMER DRILLS

29.50

PER USE

PER USE

PAVING BREAKER, BOSCH, ELEC 115 V, 64 LB. CLASS, 1-1/8" HEX STEEL (BITS NOT INCLUDED)

60

180

540

EXTENSION CORDS, 12/3, 50' LONG

8

15

35

EXTENSION CORDS, 12/3, 100' LONG

14

25

50

EXTENSION CORDS, 10/3, 50' LONG

11

28

58

EXTENSION CORDS, 10/3, 100' LONG

18

35

65

EPOXY GUNS (EPOXY MATERIAL NOT INCLUDED)

MANUAL, TWIN CARTRIDGE

15

30

60

AIR OR CO2 POWERED

65

120

240

INJECTION PUMP, SPEEDFLO

185

450

1350

INJECTION PUMP, MANUAL

90

200

500

TITAN PUMP, ELECTRIC, FOR WATER INJECTION

100

275

725

LASERS ELECTRONIC LEVELS AND ACCESSORIES

ELECTRONIC LASER LEVEL, SPECTRA PHYSICS LL300

60

150

450

LASER BEAM DETECTOR

17

38

100

ROD, TWO PART

7

14

50

TRIPOD FOR LASER LEVEL, ALUMINUM

7

14

50



PALLET JACKS

4,000 LB CAPACITY, 42" FORKS, FOR INTERIOR USE

35

95

280



Rental Rates

Day

Wk.

Mo.

Freight

Description	\$ Rate	\$ Rate	\$ Rate	F
SCISSOR MANLIFTS				
BATTERY POWER, 20.5 FT PLATFORM HEIGHT, 26.5 FT WORKING HEIGHT, 32.25" WIDE, 90" LONG, 3,250 LBS	140	400	990	F
WELDERS				
180 AMP	75	225	675	
CABLE, 50 FT, TWO REQUIRED, EACH ONE	15	30	60	
GENERATORS, LIGHT TOWERS & ACCESSORIES				
EXTENSION CORDS (SEE PAGE 10)				
GENERATORS				
3000 WATT, GAS, 110/220	50	150	400	
5000 WATT, GAS, 110/220	70	210	600	
6000 WATT, GAS, 110/220	95	285	800	
7000 WATT, "WHISPERWATT" 110/220, DIESEL, 65.7 DbA @ 23 FT.	150	400	1200	
12,000 WATT (15 KVA), 110/220, 1 PH, DIESEL, TRAILER MOUNTED	150	400	1200	F
25,000 WATT (31.5 KVA), 3 PH, DIESEL, TRAILER MOUNTED	325	675	1800	F
70,000 WATT (88 KVA), 3 PH, DIESEL, TRAILER MOUNTED	385	1100	1990	F
HIGH CYCLE GENERATOR FOR VIBRATORS, GAS, 240V.	100	300	800	
LIGHTS, FLOOD				
LIGHT STAND, SINGLE 1500 W LAMP, ELECTRIC	75	200	535	
TRAILER MTD, 30' MAST, FOUR 1000W LAMPS, DIESEL	150	350	750	F
<p>Rental Charges are based on an 8 hour day, 40 hour week, 160 hour month. Double shift rates are 1.5X the single shift charge, triple shift rates are 2X the single shift charge. Items marked with an "F" are subject to extra pick up and delivery charges. Routine maintenance (such as changing oil and filters) is the Renter's responsibility. Prices are subject to change without notice.</p>				
HEATING, VENTILATING, DEHUMIDIFYING				
KEROSENE, PROPANE AND DIESEL FUELS AVAILABLE!				
	CALL	FOR	PRICES!	
AIR HEATERS (NOTE: SEASONAL RENTAL RATES ARE AVAILABLE)				
TORCH, 500 M BTU, PROPANE WITH HOSE	14	25	50	
5,000 WATT ELECTRIC	55	160	300	
150 M BTU, KEROSENE, DIRECT FIRED	50	100	250	
320 M BTU, KEROSENE, DIRECT FIRED	80	180	480	F
650 M BTU, KEROSENE, DIRECT FIRED	120	300	710	F





Rental Rates

Day

Wk.

Mo.

Freight

Description	\$ Rate	\$ Rate	\$ Rate	F
150 M BTU, PROPANE , DIRECT FIRED	40	95	185	
375 M BTU, PROPANE , DIRECT FIRED	70	160	300	F
2,000,000 BTU, PROPANE , DIRECT FIRED	WK. MIN.	900	2700	F
250 M BTU, PROPANE SALAMANDER, DIRECT FIRED	15	30	50	
PIGTAIL, PROPANE	2	6	15	
CLIMAT 40 136 M BTU, 1120 CFM, INDIRECT, DIESEL , 12" DIA	170	510	1150	
CLIMAT 50 193 M BTU, 2230 CFM, INDIRECT, DIESEL , 14" DIA	250	600	1350	
CUB 200 180 M BTU, 1720 CFM, INDIRECT, DIESEL , 12" DIA	170	510	1150	
CUB 300 300 M BTU, 3690 CFM, INDIRECT, DIESEL , 17.5" DIA	250	600	1350	
CUB 400 380 M BTU, 5000 CFM, INDIRECT, DIESEL , 16" DIA	WK. MIN.	1050	3000	F
CUB 700 720 M BTU, 8240 CFM, INDIRECT, DIESEL , 16" DIA	WK. MIN.	1450	4200	F
HEATING DUCT FOR VENTED HEATER, 12" OR 14" X 25'	WK. MIN.	110	330	
HEATING DUCT FOR VENTED HEATER, 16" X 25'	WK. MIN.	135	400	
HEATING DUCT FOR VENTED HEATER, 20" X 25'	WK. MIN.	175	525	
HEATING DUCT ADAPTOR	WK. MIN.	60	165	
FUEL TOTE, 275 GAL CAPACITY, SKID MOUNTED	60	150	300	F
BLOWER FOR MAN HOLE VENTILATION				
BLOWER FOR MAN HOLE VENTILATION, NON-HAZARDOUS USE, 1200 TO 1500 CFM, ELECTRIC OR GAS POWER	45	110	310	
HOSE FOR MANHOLE BLOWER (7-1/2" DIA X 25' MAX)	8	16	50	
				
				
<div style="border: 2px solid red; background-color: yellow; padding: 10px; display: inline-block;"> <p style="color: blue; font-weight: bold; font-size: 1.2em;">ASK US ABOUT SEASONAL RENTAL RATES!</p> </div>				
GROUND HEATERS				
GROUND HEATER, DIESEL , GENSET, G-140, TRAILER MOUNTED, THAW UP TO 400 SQ. FT. OR CURE UP TO 800 SQ. FT. PER DAY	WK. MIN.	800	2000	F
GROUND HEATER, DIESEL , GENSET, E-1700, TRAILER MOUNTED, THAW UP TO 3,400 SQ. FT. OR CURE UP TO 6,800 SQ. FT. PER DAY	WK. MIN.	3000	7500	F
GROUND HEATER, DIESEL , GENSET, E-2200, TRAILER MOUNTED, THAW UP TO 4,400 SQ. FT. OR CURE UP TO 8,800 SQ. FT. PER DAY	WK. MIN.	3300	8000	F
GROUND HEATER, DIESEL , GENSET, E-3000, TRAILER MOUNTED, THAW UP TO 6,000 SQ. FT. OR CURE UP TO 12,000 SQ. FT. PER DAY	WK. MIN.	5000	12000	F
WHISPERWATT RESIDENTIAL GENERATOR, DIESEL , MOUNTED IN LIEU OF STANDARD UNITS ABOVE, 65.7 DbA @ 23 FT.	WK. MIN.	500	1250	
GROUND HEATER, DIESEL , GENSET, V-60, TRAILER MOUNTED, THAW UP TO 12,000 SQ. FT. OR CURE UP TO 24,000 SQ. FT. PER DAY	WK. MIN.	10200	24000	F
HOSE REELS, HYD., WITH 3,000' EXTENSION HOSE	WK. MIN.	750	1500	F



Rental Rates

Day

Wk.

Mo.

Freight

Description

\$ Rate

\$ Rate

\$ Rate

F

FANS FOR AIR AND HEAT CIRCULATION

PEDESTAL FAN, 30" DIAMETER

FLOOR FAN, 42" DIAMETER

FLOOR FAN, 48" DIAMETER



30

65

160

F

75

140

350

85

150

400

F

DRYVEX AIR MOVER, MODEL AM3000,
3,000 CFM AIRFLOW
120V/2 AMPS, COMES WITH 25' CORD,
GFCI PROTECTED,
24" H X 18"D X 22"W, 20 LBS,



CAN DAISY CHAIN UP TO SIX UNITS!

(TWO FANS RECOMMENDED FOR EACH R110 DEHUMIDIFIER)

35

75

150

DEHUMIDIFICATION EQUIPMENT, HIGH CAPACITY

DRYVEX INDUSTRIAL DEHUMIDIFIER, MODEL R110

471 CFM AIRFLOW RATING

WILL REMOVE UP TO 28 GALLONS/ DAY



PORTABLE, ON WHEELS


115 V/11 AMPS

20' DRAIN HOSE

28"X28"X39" HIGH, 139 LBS.

HOUR METER EQUIPPED

ONE UNIT REQUIRED PER 3,000 SQ FT OF TYPICAL BASEMENT



100

200

600



"ULE" ULTRA LOW EMISSION CATALYTIC CONVERTER MUFFLERS

"ULE" TECHNOLOGY REDUCES HYDROCARBONS (HC) & NITROGEN OXIDES (NOX) BELOW THE LIMITS SET BY THE ENVIRONMENTAL PROTECTION AGENCY (EPA) AND CALIFORNIA AIR RESOURCES BOARD (CARB). INSTALLED ON RENTAL EQUIPMENT AND AVAILABLE FOR PURCHASE



Engine Model	Daily Add On
GX120/GX160	\$50.00
GX270/GX340/ GX390	\$75.00
GX620/GX670	\$300.00
Vanguard 35Hp	\$300.00
Others Available	ASK for RATE



CUT CARBON MONOXIDE, HYDROCARBONS AND NITROGEN OXIDES



Rental Rates

Day

Wk.

Mo.

Freight

Description	\$ Rate	\$ Rate	\$ Rate	F
<i>PUMPS, WATER</i>				
<u>PUMPS, WATER</u>				
2" CENTRIFUGAL, 140 GPM	35	85	245	
3" CENTRIFUGAL, 265 GPM	50	125	365	
2" TRASH, 235 GPM	50	125	365	
3" TRASH, 440 GPM	70	200	575	
3" TRASH, DIESEL, 400 GPM	110	300	875	
4" TRASH, 740 GPM	110	300	850	
6" TRASH, 1300 GPM, DIESEL ENGINE, TRAILER MOUNTED	235	700	1975	F
3" DIAPHRAGM, 85 GPM	65	190	550	
2" SUBMERSIBLE, 45-85 GPM	40	80	225	
2" SUBMERSIBLE, HIGH PERF, 145 GPM	60	180	460	
3" SUBMERSIBLE, 170 GPM	65	185	495	
3" SUBMERSIBLE, HIGH PERF, 270 GPM	68	200	585	
4" SUBMERSIBLE, 371 GPM	120	360	990	
FLOAT SWITCH AVAILABLE FOR SOME SUBMERSIBLE PUMPS	5	10	25	
<u>PUMP HOSE, (SUCTION 20', DISCHARGE 50')</u>				
2" SUCTION OR DISCHARGE	15	35	75	
3" SUCTION OR DISCHARGE	18	40	85	
4" SUCTION OR DISCHARGE	35	70	145	
6" SUCTION OR DISCHARGE	55	110	200	
3/4" WATER HOSE, H.D.	10	20	30	

